

PRODUCT FFATURES



- ✓ Masks sounds of using the toilet with the soothing sound of running water. Saves water because there is no need to flush the toilet to hide embarrassing sounds.
- Sensor type, so wave hand to activate sound. No touching required.

HOW TO INSTALL

Note: Do not install on doors or sliding doors. The impact of opening and closing may cause malfunction.

AWith the included screws BAttach using double-sided tape Stand Screws included (1) Attach double-sided tape Stick 9 Screws included (2)


Attach hook hole to mounting screw 1 on wall surface. Then secure unit with mounting screw 2 in fixed screw hole.

BIf screws cannot be used, secure unit to wall with double-sided tape. Be sure to wipe off dust and dirt from back of unit before proceeding.

Product can also be free-standing on a flat surface. Take care it does not fall.

HOW TO USE

Use 2 new AA alkaline batteries (sold separately).



2 Waving hand in front of sensor will produce 40-second sound. Waving hand in front of sensor again will shut it off.

3 Volume (♠): You can select your preferred volume levels from 2 levels using the volume control knob.

4When the low battery indicator on the body flashes red during operation, replace the batteries with new ones.

Stick the explanatory labels to main unit if desired.

Batterv 2 AA alkaline FRONT Fixed screw hole box lid batteries ⊕ (d) Speaker ⊕ (d Battery box lid Volume control Sensor button 000 0 Low battery indicator light Hook hole BACK Fixed screw hole ((t>) Label @ Label

■ Product Specifications

Power supply:

2 AA batteries (not supplied)

Battery life:

Approximately 3,000 times (high volume, when using new alkaline batteries)

Low battery indication:

Sensor: Motion: Low battery indicator flashes red during operation Contactless sensor If you hold your hand about 5 cm away from the sensor,

you will hear the sound of running water for about 40 seconds. If you wave your hand again, it will stop. Approx. 80 dB / Approx. 70 dB switchable

Volume:

Operatina temperature range: -10°C~45°C

Product dimensions:

Weight: Material: ABS Plastic

100(W)×100(H)×21(D)mm 89g (not including batteries)

■ Accessories Double-sided tape for mounting Mounting screws x 2

• Wall plugs x 2

• Usage labels for main unit

Worldwide Dagmusic Y.K.

Yayoicho 4-35-2 Nakano-ku, Tokyo 1640013 Phone +81-80-5047-9665

Email: marketing@japantoiletsound.com





www.japantoiletsound.com



Before use.

carefully

read the

safety and

warranty

terms on

the double

inner side.

Made in PRC

SAFETY AND WARRANTY PROVISIONS

Please read this carefully before using this product and use it correctly.

Safety Precautions

A WARNING

Indicates content that may result in death or serious injury.

- Do not mistake the positive and negative sides of the batteries. If the batteries are installed incorrectly, they may heat up rapidly, causing them to explode or leak, resulting in damage. If the leaked liquid adheres to the skin, immediately wash it off with running water. If eye contact occurs, consult a doctor. Please wipe away the splashed liquid with tissue paper or similar.
- Accidental swallowing of batteries is very dangerous. Keep or discard batteries out of reach of small children.

A CAUTION

Contents that are assumed to cause personal injury or property damage.

- Do not disassemble, modify or repair the product (it may cause an electric shock).
- Remove the batteries as soon as an abnormality occurs. (It may cause heat generation and fire).
- Pay attention to the material and thickness of the wall on which the device is to be installed, and fix it securely.
- Also, when using double-sided tape, wipe off any oil film or dirt (unstable fixing may cause injury due to falling).

PRECAUTIONS FOR USE

About Batteries

- Handle the battery so that the positive and negative terminals of the battery are not short-circuited. Doing so may cause heat generation, rupture, or liquid leakage.
- Do not mix up the plus and minus of the battery. Doing so may cause heat generation, rupture, or liquid leakage.
- Do not use or store the battery near a heater. Doing so may cause liquid leakage.
- Do not replace the battery with wet hands or when the device is wet. Doing so may cause malfunction.
- Do not drop the battery or apply shock or pressure to the battery. Doing so may cause liquid leakage.
- Always use new alkaline batteries. Do not use rechargeable batteries. If new and old batteries or different types of batteries are used together, the device will soon stop working, and even new batteries will become unusable.
- If you do not use the product for a long time, or if the batteries are exhausted, be sure to remove the batteries. The liquid will leak and the product will corrode and become unusable.

General Use

- ROYAL FLUSHH is not waterproof, so it cannot be used in wet or humid locations.
- Obstacles like toilet paper, towels, stainless steel products, mirrors, etc. in front of the sensor may cause it to malfunction.
- If the sensor is exposed to direct sunlight, it may malfunction or not work.
- If foreign matter adheres to the sensor, it may not operate.
- The product may malfunction or not operate outside the operating temperature range.
- Dropping this product, subjecting it to impact, or installing or leaving it in a location subject to high temperature, moisture and humidity will cause it to malfunction and will not be covered by the warranty.
- Disassembling, remodeling, or repairing the product will result in malfunction and will not be covered by the warranty.
- Please confirm that it works properly before installation.
- Do not install in a place where the impact of opening and closing a door or sliding door will occur.
- Because this product is a device that makes noise, please be careful not to place it near your ears.
- Keep out of reach of infants and children.
- When attaching to a painted or cloth surface, please be careful not to peel off the paint or tear the cloth.
- Please note that we will not be held responsible for any peeling of the cloth, peeling of the paint, dirt on the double-sided tape, etc. that may occur when installing or removing this product.

A CAUTION

The Royal Flushh may not work correctly if too close to infrared heaters and lights.

Warranty Policy

The warranty period is one year from the date of purchase.

In the event of a failure or malfunction that occurs within one year of purchase of this product, we will repair or replace it free of charge in accordance with the following gratis warranty provisions. Clarify the cause of the failure and contact us.

This product does not come with a warranty. Please keep the receipt from the store where you purchased the product, proof of sale, purchase history, and a copy of the slip as a warranty card. In order to obtain a free warranty, please contact our customer service center with the receipt, proof of purchase, purchase history, and a copy of the slip. EMAIL: custserv@hotteeze.com

Free Warranty Provision

We will repair or replace the product free of charge if it breaks down during the warranty period under normal use in accordance with the instruction manual and the notes in this manual.

In the event of a malfunction, please contact our customer service center directly by e-mail, not the store where you purchased the product. EMAIL: marketing@japantoiletsound.com



Even within the warranty period, repairs will be charged in the following cases, and the customer will be responsible for transportation and miscellaneous expenses.

- 1. Failure and damage due to misuse, improper repair or modification.
- Failure or damage due to dropping after purchase, moving to a different installation location, transportation, or improper storage.
- 3. Fire, earthquake, wind and flood damage, gas damage or other natural disasters
- 4. If you do not have a copy of the receipt that proves the date of purchase.

This warranty is valid only in AUSTRALIA & NEW ZEALAND, UK and USA

Please email: marketing@japantoiletsound.com with any questions



Imported to Australia by
Hotteeze PTY LTD
308 Ftizgerald Street
Perth Western Australia 6000
EMAIL: marketing@japantoiletsound.com
www.japantoiletsound.com